

Application Chart 2/26/2014

Vehicle Make	Vehicle Model	Vehicle Year	Model #	Nav Incl	Sat	TFT size	Available	Notes		Extra In	formation		
				N=Navmate i=iGO	See Notes				Uses Complete Factory XM System & Antenna	Can Use Factory XM Antenna W/ Kit & Adapter	Compatible With Factory Backup Camera		
Universal Double Din		OPEN	ADVUV630i	i		6.2	Current	Now includes Pandora, iGo mapping, & BT SWC control					
Buick	Enclave	08 - 12 ONLY	OGM1	i	XM	7	Current	*1 *3 See Notes Below	X				
	Lucerne	2008 - 2011	OGM1	i	XM	7	Current	*1 *3 See Notes Below	X				
Chevy	Avalanche	2008 - 2013	OGM1	i	XM	7	Current	*1 *3 See Notes Below	x		*3		
	Impala	2009	OGM1	i	XM	7	Current	*1 *3 See Notes Below	x		*3		
	Silverado	2008 - 2013	OGM1	i	XM	7	Current	*1 *3 See Notes Below	Х		*3		
	Silverado 2500/3500	2008 - 2014	OGM1	i	XM	7	Current	*1 *3 See Notes Below	x		*3		
	Suburban	2008 - 2014	OGM1	i	XM	7	Current	*1 *3 See Notes Below	Х		*3		
	Tahoe	2008 - 2014	OGM1	i	XM	7	Current	*1 *3 See Notes Below	X		*3		
	Traverse	08 - 12 ONLY	OGM1	i	XM	7	Current	*1 *3 See Notes Below	Х		*3		
	Equinox	2008 - 2009	OGM1	i	XM	7	Current	*1 *3 See Notes Below	Х		*3		
	Express Van	2008 - 2013	OGM1	i	XM	7	Current	*1 *3 See Notes Below	X		*3		
Chrysler	200	2011 - 2013	OCH1	i	SXM	6.5	Current						
Chiryslei								FOR ALL CHRYSLER, DODGE, JEEP, AND RAM VEHICLES:					
	Town & Country	2011 - 2013	OCH1	i	SXM	6.5	Current	The OCH1 is Compatible	with all Factory	Amplifier syste	ems - All OCH1		
							1	installations may require	some vehicle m	odification, alv	vays follow the		
Dodge	Nitro - All Models	2009 - 2011	OCH1	i	SXM	6.5	Current	included installation instru	ctions. NOT co	mpatible with	Overhead Video		
	Avenger - Base/RT	2010-2013	OCH1	i	SXM	6.5	Current	systems. For integration wi		•			
Challenger - Base /RT/SXT /Plus/Classic		2011 - 2013	OCH1	i	SXM	6.5	Current	CHYRVD. The Factory Sat Antenna connection (if equipped) can be used with the CNP2000UCA Sat Tuner. OCH1 does Not Support Chrysler RAP					
	Caliber	2011 - 2012	OCH1	i	SXM	6.5	Current	(retained Accessory Power		••	-		
	Grand Caravan	2011 - 2013	OCH1	i	SXM		Current	option, Installation Manuals					
	Journey	2009-2010	OCH1	i	SXM	6.5	Current			-			
	Dakota	2009-2011	OCH1	i	SXM	6.5	Current	See Instructions in box or a	at AVX-Univers	ity for Amplifie	r programming.		
								Т					
Ford	F150	2011-2012	OFO1501	i	SXM	8	Current	Fits All Trim Levels Not Compatible With Sony System					
								•					
	F150	2013 XL with XL Plus package ONLY	OFO1501	i	SXM	8	Current	Not Compatible With Sony single control panel at top of for d					
	Focus S/SE	2012 - 2014	OFOFOC1	i	SXM	8	Current	Not Compatible With So	ny System				



							and a name	///h//014				
Vehicle Make	Vehicle Model	Vehicle Year	Model #	Nav Incl	Sat	TFT size	Availability	Notes	Extra Information		ion	
				N=Navmate i=iGO	See Notes				Uses Complete Factory XM System & Antenna	Can Use Factory XM Antenna W/ Kit & Adapter	Compatible With Factory Backup Camera	
GMC	Acadia	08 - 12 ONLY	OGM1	i	ΧМ	7	Current	*1 *2 *3 See Notes Below	х		*2 *3	
	Sierra	2008 - 2013	OGM1	i	XM	7	Current	*1 *3 See Notes Below	х		*3	
	Sierra 2500	2014	OGM1	i	ΧМ	7	Current	*1 *3 See Notes Below	х		*3	
	Savanna Van	2010 - 2012	OGM1	i	XM	7	Current	*1 *3 See Notes Below	х		*3	
	Yukon	2008 - 2013	OGM1	i	XM	7	Current	*1 *3 See Notes Below	Х		*3	
Honda	CRV	2007 - 2011	OHOCRV1	N	XM	7	Discontinued	Not compatible wit	n Premier Sour	nd Svs		
nonau	Civic	2006 - 2011	OHOCVC1	N	XM	7	Discontinued	Not compatible with				
			C.							•		
Hummer	H2	2008 - 2010	OGM1	i	XM	7	Current	*1 *3 See Notes Below	Х			
Hyundai	Sonata	2011 - 2014	OHYSON1	N	ХМ	7	Current	Not Compatible in 2012 (including Hybrid) and <u>Works</u> with Dimensions System -	with ALL Blue	Link_Systems, * ONLY WITH BA	4, Not Compatible	
	Santa Fe	09 - 12 ONLY	OHYSFE1	Ν	ХМ	7	Discontinued	*4				
JEEP	Wrangler Unlimited	2011 - 2014	OCH1	i	SXM	6.5	Current					
	Wrangler Sport	2009 - 2014	OCH1	i	SXM	6.5	Current	See Notes in Chrysler Dodge Section Above				
	Compass	2011 - 2013	OCH1	i	SXM	6.5	Current	See Notes II	See Notes in Chrysler Douge Section Above			
	Liberty	2011 - 2013	OCH1	i	SXM	6.5	Current					
	Patriot	2011 - 2013	OCH1	i	SXM	6.5	Current	Not Compatible with 2014				
Mazda	Mazda 3 SV/Sport/Touring*	2010 - 2013	OMZ31	i	SXM	7	Current	*Only works in Touring with	tip. Designed	for Base model	uttons - See Tech radio replacment,	
	Mazda 6 Sport/Touring*	2008 - 2013	OMZ61	i	SXM	7	Current	Base Radio 4 or 6 speaker package.	system with	•	n upgraded audio Not Compatible nt system	
RAM	RAM 1500	2011 - 2012	OCH1	i	SXM	6.5	Current					
	RAM 2500	2011 - 2012	OCH1	i	SXM	6.5	Current	See Notes in	Chrysler Dodg	e Section Abov	е.	
	RAM 3500	2011 - 2012	OCH1	i	SXM	6.5	Current		,			
				•								
Saturn	Outlook	2007 - 2010	OGM1	i	ХМ	7	Current	*1 *3 See Notes Below	х			
	Vue	2008 - 2010	OGM1	i	ХМ	7	Current	*1 *3 See Notes Below	Х			
Subaru	Forester / Impreza	2009 - 2014	OSUFOR1	i	SXM	7	Current	Fits all models except Nav Equiped Vehicles - See SWC tech tip for programming.				



Application Chart 2/26/2014

								_/ _ = = / _ = = :				
Vehicle Make	Vehicle Model	Vehicle Year	Model #	Nav Incl	Sat	TFT size	Availability	Notes		Extra Informat	ion	
				N=Navmate i=iGO	See Notes				Uses Complete Factory XM System & Antenna	Can Use Factory XM Antenna W/ Kit & Adapter	Compatible With Factory Backup Camera	
Toyota/Scion	Camry	12-14 L , LE, SE & LE Hybrid	ОТОСАМЗ	i	хм	8	Current	TOYOTA MODELS THAT INCLUDE IGO MAPPING ALSO INCLUDE TOYOTA DIRECT FIT USB.		x		
	FJ Cruiser	2007 - 2014	OTOMF1	i	XM	6.5	Current			x		
	Corolla	2012 -2013	OTOMF1	i	XM	6.5	Current		To replace	ce Toyota Display type radio ONLY		
	FRS	2013	OTOMF1	i	XM	6.5	Current			x		
	4Runner	2003 - 2009	OTOMF1	i	XM	6.5	Current					
	Highlander (Non Hybrid Models)	2009 - 2012	OTOHIG1	N	хм	8	Discontinued			x	x	
	Highlander (Non Hybrid Models)	2013	OTOMF1	i	хм	6.5	Current		See Tech Tips for install notes at AVXU			
	Prius Two (3rd Gen)	2010-2014	OTOPRI1	Ν	хм	7	Current	All Toyota Models Require	Available in Black color only			
	Rav-4	06-12 - See Note for 06-11	OTORAV1	i	хм	7	Discontinued	Connection to the Parking Brake Circuit to view video.	Must order Harness #30313210 for 2006-2011 Download 2011 firmware at adventproducts.com			
	RAV-4	2013 -2014	OTORAV2	i	SXM	7	Current					
	Sequoia	08 - 13 (Not 14)	OTOTUN1	i	XM		Discontinued			x		
	Scion iQ	2012 - 2014	OTOMF1	i	XM	6.5	Current	If using a Toyota model in a JBL equipped vehicle we recommend using a PAC part# TATO - Noise or Popping may occur with other		x		
	Scion TC	2007 - 2014	OTOMF1	i	XM	6.5	Current			x		
	Scion xB/xD	2004 - 2014	OTOMF1	i	XM	6.5	Current			x		
	Tundra	07 - 13 (Not 14)	OTOTUN1	i	SXM	7	Discontinued	brands. Contact PAC for TATO	Only PM Models Available		vailable	
	Venza	2009 - 2014	OTOVEN1	i	хм	7	Current	Support or adapter specific question as this is not a Advent product.	Camera Ada	w Harness & oter. See Tech ïp	х	
VW	BEETLE	2012 - 2013	OVW1	N	хм	7	Current					
	СС	2009 - 2013	OVW1	N	хм	7	Current	Now Fully Compatible with				
	EOS	2007 - 2013	OVW1	N	хм	7	Current	Fender Amplified Systems				
	GOLF	2012 - 2013	OVW1	N	хм	7	Current	except for VIII Audio System	Not Comp	atible with Pren	nium VIII touch	
	GTI	2006 - 2013	OVW1	N	хм	7	Current		•	nd system with		
	JETTA	2007 - 2013	OVW1	N	XM	7	Current	Not Compatible with		models of ca		
	JETTA SPORTWAGON	2009 - 2013	OVW1	N	XM	7	Current	DynAudio or 6 Disk Changer				
	PASSAT	2005 - 2013	OVW1	N	ХМ	7	Current	Systems		ION REMOVING		
										VAN FIRIVIWARI		

3



Application Chart 2/26/2014

	TIGUAN	2008 - 2013	OVW1	N	XM	· · · · · ·	Current	AT AUDIOVOXUNIVERSITY.COM			
NOTE: ALL	Advent Navigation Sys	stems are design	ned to replac	e NC	DN-Na	vigatio	n OEM Au	dio systems. Factory Navigation Systems often have different connections, CAN			
connectivity, and are not compatible with Advent OE Solutions.											
Installation Notes											
KM Tuner For All Models listed as "XM" CNP2000UCA MUST ORDER BOTH - MUST BE PROGRAMMED PER INSTRUCTIONS INCLUDED											
CNP2000UCA CNPJEN1											
SXM Tuner For All Models listed as "SXM" SXV200V1 1124153											
Toyota USB Port Iviedia Link - Fits Factory location in 32813570 Only for use with Toyota Badios											
all Toyota models - Can ONLY be used with Vebicle								iPhone/iPod version 5 Does not have Video Out			
						GM	Specific	Notes			
OGM1 Works with Factory GM XM tuner or CNP2000UCA Tuner from XM. Program with each models specific flash on XMDirect. Must use XMDirect version 3.3 or later ONLY! Always uninstall previous versions of XMDirect before downloading the new Flash utility. SYSTEMS - SEE BELOW: OGM1 Works with GM Functions, Warnings (<u>Except LDS</u>), Side Blind Zone Alert (SBZA), Seat Belt chimes, Rear lift gate chimes, OnStar, OnStar Navigation Voice Turn By Turn, Factory Bluetooth, Overhead Rear Video and Rear Seat Audio. Note: Cannot change XM station from Rear Seat Audio controls. All other RSE controls operate as normal. GM OnStar contains the GM Bluetooth. This remains working in all GM cars. The steering wheel controls in GM will continue to operate the GM Bluetooth, not the Advent Bluetooth. This is normal and cannot be changed or the OnStar system could not be controlled. The Advent Bluetooth can be used by utilizing the on screen controls. Key Reminder Chimes will not function when the radio has shut down completely.											
GM Centerpoint systems: The OGM1 is not designed to work with the GM Centerpoint system. The easiest way to identify this system is by the center channel dash speaker. The factory radio may also have the DTS logo on the front of the radio. If you install a OGM1 into a Centerpoint equipped vehicle you will get no sound from the radio. This is normal and due to the fact that they are not compatible. There is nothing wrong with the radio. The vehicle may also show the code UQA on the trim/options tag in the glove box.											
*1: All OGM1 radios now include a rear seat video harness. For REAR SEAT VIDEO in some older vehicles that were equipped with a Panasonic Overhead with a DVD loader, a PAC OS-4 or equivalent Adapter is required. Recommend contacting PAC or Metra for the latest part number. GM Wireless Remote control does NOT work with the OGM1.											
*2: Acadia with	"Cargo Area Audio Cor	ntrols" - Not comp	atible with the	ese c	ontrols	s - Come	es in Techn	ology Package			
*3 For Older GM Vehicles with NON CAN Backup Camera, use Metra adapter part # BACKUPCAM											
*4: On Hyundai with the Infinity Sound System - Radio will activate amplifier, use AMP ON/OFF adjustment, same as OGM1 Bose Adjustment . See tech update at audiovoxuniversity.com for more information - Bose amplifier setting.											
*Notes: Steering Wheel Controls May Operate Differently Than On The OEM Radio That Has Been Removed Due to Added Features And Functions - This is covered in the owners manual for the end user.											
OEM USB/AUX input jacks are not compatible with Advent OE Radio's. Most are not capable of charging iPhones or iPods at 1amp and do not have Video inputs. The Advent OE Radio Media Link is high speed USB 2.0, charges at 1amp and allows Video playback from iPhone/iPod (when using the correct cable) or supports Aux in from DVD players and other video devices.											
If any discrepancies are found please advise immediately. All vehicles are subject to change based upon trim model, local special accessory kits offered by the manufacturer, and or dash color being changed without notice. AVX can not be responsible for these changes but will react to meet these needs as quickly as possible.											